AUTHOR INDEX

ABBAS S. K. *see* CARE A. D., ABBAS S. K., HARMEYER J. & BOIVIN R. The relaxant effects of parathyroid hormone(1–34) and parathyroid hormone-related protein(1–34) on ovine reticulo-ruminal smooth muscle *in vivo* 665

ACEVEDO C. G., ROJAS S. & BRAVO I. L-Arginine transport at the fetal side of human placenta: effect of aspirin in pregnancy 1127

ADAMS M. A. *see* NILSSON A. B. M., GURON G. S., ADAMS M. A. & FRIBERG P. Renal interstitial hydrostatic pressure and urinary sodium excretion in rats with angiotensin-converting enzyme inhibitor-induced papillary atrophy 947

ADDING C. *see* ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

ADEGHATE E. *see* SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

AGVALD P. *see* ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

ALBERTINI M. *see* LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

ALİCAN İ. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

AMSTUTZ I. *see* SCHARRER E., AMSTUTZ I. & GRENACHER B. Inhibition of mucosal glycylsarcosine uptake by acetate in rat distal small intestine 541

ANDERSSON K.-E. *see* STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

ANDERSSON K.-E. Advances in the pharmacological control of the bladder 195

ANDREWS D. C. *see* SYMONDS M. E., ANDREWS D. C. & JOHNSON P. The influence of acute hypoxia and carotid body denervation on thermoregulation during non-rapid eye movement sleep in the developing lamb 1115

ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

ASADA N. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

AZZENA G. B. *see* MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

BALL D. *see* LAMBERT C. P., BALL D., LEIPER J. B. & MAUGHAN R. J. The use of a deuterium tracer technique to follow the fate of fluids ingested by human subjects: effects of drink volume and tracer concentration and content 391

BALMENT R. J. *see* WARGENT E. T., BURGESS W. J., LAYCOCK J. F. & BALMENT R. J. Separate receptors mediate oxytocin and vasopressin stimulation of cAMP in rat inner medullary collecting duct cells 17

BARER G. R. *see* LIU X., BEE D. & BARER G. R. Role of nitric oxide synthase and cyclooxygenase in pulmonary vascular control in isolated perfused lungs of ferrets, rats and rabbits 907

BAZZINI C. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

BAZZINI C. *see* ORSENIGO M. N., TOSCO M., BAZZINI C., LAFORENZA U. & FAELLI A. A monocarboxylate transporter MCT1 is located at the basolateral pole of rat jejunum 1033

BEE D. *see* LIU X., BEE D. & BARER G. R. Role of nitric oxide synthase and cyclooxygenase in pulmonary vascular control in isolated perfused lungs of ferrets, rats and rabbits 907

BELL C., KOWALCHUK J. M., PATERSON D. H., SCHEUERMANN B. W. & CUNNINGHAM D. A. The effects of caffeine on the kinetics of O_2 uptake, CO_2 production and expiratory ventilation in humans during the on-transient of moderate and heavy intensity exercise 761

Bell C., Paterson D. H., Kowalchuk J. M. & Cunningham D. A. Oxygen uptake kinetics of older humans are slowed with age but are unaffected by hyperoxia 747

Bernátová I., Pechánová O. & Šimko F. Effect of captopril in L-NAME-induced hypertension on the rat myocardium, aorta, brain and kidney 1095

Bloom S. R. *see* Edwards C. M. B., Ghatei M. A., Bloom S. R. & Edwards A. V. The role of nitric oxide in mediating pancreatic endocrine responses to insulin-induced hypoglycaemia in the conscious calf 1107

Bloomfield M. *see* Fowden A. L., Forhead A. J., Bloomfield M., Taylor P. M. & Silver M. Pancreatic α cell function in the fetal foal during late gestation 697

Bohm J. *see* Kamkin A., Kiseleva I., Wagner K. D., Lammerich A., Bohm J., Persson P. B. & Günther J. Mechanically induced potentials in fibroblasts from human right atrium 347

Boivin R. *see* Care A. D., Abbas S. K., Harmeyer J. & Boivin R. The relaxant effects of parathyroid hormone(1–34) and parathyroid hormone-related protein(1–34) on ovine reticulo-ruminal smooth muscle *in vivo* 665

Botchway A. N. S. *see* Flores N. A., Botchway A. N. S., Stavrou B. M. & Sheridan D. J. Cardiac electrophysiological effects of platelet-derived substances 253

Botta G. *see* Gschwentner M., Fürst, J., Ritter M., Bazzini C., Wöll E., Dienstl A., Jakab M., König M., Scandella E., Rudzki J., Botta G., Meyer G., Lang F., Deetjen P. & Paulmichl M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

Bottinelli R. *see* Canepari M., Rossi R., Pellegrino M. A., Reggiani C. & Bottinelli R. Speeds of actin translocation *in vitro* by myosins extracted from single rat muscle fibres of different types 803

Bourdon V. *see* Damas J., Bourdon V. & Lefebvre P. J. Insulin sensitivity, clearance and release in kininogen-deficient rats 549

Bovell D. L. *see* McAlroy H. L., Bovell D. L., Plumb J. A., Thompson P. & Wilson S. M. Drug extrusion, $^{125}I^-$ efflux and the control of intracellular $[Ca^{2+}]$ in drug-resistant ovarian epithelial cells 285

Boyett M. R. *see* Owen J. M., Quinn C. C., Leach R., Findlay J. B. C. & Boyett M. R. Effect of extracellular cations on the inward rectifying K^+ channels Kir2.1 and Kir3.1/Kir3.4 471

Bozkurt A. *see* Gürbüz V., Alican İ., Yegen B. C., Bozkurt A., Oktar B., Haklar G., Yüksel M. & Kurtel H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

Brading A. F. The physiology of the mammalian urinary outflow tract 215

Braghieri M. *see* Lafortuna C. L., Albertini M., Ferrucci F., Zucca E., Braghieri M., Clement M. G. & Saibene F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

Bravo I. *see* Acevedo C. G., Rojas S. & Bravo I. L-Arginine transport at the fetal side of human placenta: effect of aspirin in pregnancy 1127

Brelen M. E. *see* Hanna S. J., Brelen M. E. & Edwards A. V. Effects of reducing submandibular blood flow on secretory responses to parasympathetic stimulation in anaesthetized cats 677

Brette F. *see* Pascarel C., Brette F., Cazorla O. & Le Guennec J.-Y. Effects on L-type calcium current of agents interfering with the cytoskeleton of isolated guinea-pig ventricular myocytes 1043

Brown H. *see* Lei M., Kohl P., Brown H. & Noble D. Non-muscarinic and non-nicotinic inhibition by the acetylcholine analogue carbachol of the delayed rectifier potassium current, i_K, in rabbit isolated sino-atrial node cells 631

Buchan W. *see* Nicodemo M. L. F., Scott D., Buchan W., Duncan A. & Robins S. P. Effects of variations in live weight gain on bone growth and composition and on markers of bone turnover in lambs 579

Buono M. J. Sweat ethanol concentrations are highly correlated with co-existing blood values in humans 401

Burgess W. J. *see* Wargent E. T., Burgess W. J., Laycock J. F. & Balment R. J. Separate receptors mediate oxytocin and vasopressin stimulation of cAMP in rat inner medullary collecting duct cells 17

Butter H. *see* Gäbel G., Butter H. & Martens H. Regulatory role of cAMP in transport of Na^+, Cl^- and short-chain fatty acids across sheep ruminal epithelium 333

Buttyan R. *see* Levin R. M., Haugaard N., Hypolite J. A., Wein A. J. & Buttyan R. Metabolic factors influencing lower urinary tract function 171

Campbell C. H. *see* Watson C. S., Campbell C. H. & Gametchu B. Membrane oestrogen receptors on rat pituitary tumour cells: immuno-identification and responses to oestradiol and xenoestrogens 1013

Canepari M., Rossi R., Pellegrino M. A., Reggiani C. & Bottinelli R. Speeds of actin translocation *in vitro* by myosins extracted from single rat muscle fibres of different types 803

CARE A. D., ABBAS S. K., HARMEYER J. & BOIVIN R. The relaxant effects of parathyroid hormone(1–34) and parathyroid hormone-related protein(1–34) on ovine reticulo-ruminal smooth muscle *in vivo* 665

CARLSSON E. *see* OLSSON K. & CARLSSON E. Cardiovascular changes associated with dehydration and drinking in unrestrained, lactating goats 571

CARON N. & KRAMP R. Measurement of changes in glomerular filtration rate induced by atrial natriuretic peptide in the rat kidney 689

CARTER C. *see* SCOTT J., NAVARATNAM N. & CARTER C. Molecular modelling of the biosynthesis of the RNA-editing enzyme APOBEC-1, responsible for generating the alternative forms of apolipoprotein B 791

CASE M. Book review: *Glandular Mechanisms of Salivary Secretion*, edited by J. R. Garrett, J. Ekström and L. C. Anderson 227

CASEY T. M. *see* COX D. B., KENT J. C., CASEY T. M., OWENS R. A. & HARTMANN P. E. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationships 421

CAZORLA O. *see* PASCAREL C., BRETTE F., CAZORLA O. & LE GUENNEC J.-Y. Effects on L-type calcium current of agents interfering with the cytoskeleton of isolated guinea-pig ventricular myocytes 1043

CHAMBERS P., NEAL D. E. & GILLESPIE J. I. Ryanodine receptors in human bladder smooth muscle 41

CHUNG Y.-W. *see* HUANG Y., KO W.-H., CHUNG Y.-W. & WONG P. Y. D. Identification of calcium-activated potassium channels in cultured equine sweat gland epithelial cells 881

CLARKE L. *see* HEASMAN L., CLARKE L. & SYMONDS M. E. Influence of thyrotrophin-releasing hormone on thermoregulatory adaptation after birth in near-term lambs delivered by Caesarean section 979

CLEMENT M. G. *see* LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

CLEMOW D. B. *see* STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

CLULOW J. *see* HANSEN L. A., CLULOW J. & JONES R. C. The role of Na^+–H^+ exchange in fluid and solute transport in the rat efferent ducts 521

COATS P. & HILLIER C. Determination of an optimal axial-length tension for the study of isolated resistance arteries on a pressure myograph 1085

COMBES N. *see* LAKIE M. & COMBES N. Tremulousness – the perception of tremor in man 807

COOGAN A. N. *see* O'CONNOR J. J. & COOGAN A. N. Actions of the pro-inflammatory cytokine IL-1β on central synaptic transmission 601

COOKE J. P. *see* MAXWELL A. J., TSAO P. S. & COOKE J. P. Modulation of the nitric oxide synthase pathway in atherosclerosis 801

COX D. B. *see* KENT J. C., MITOULAS L., COX D. B., OWENS R. A. & HARTMANN P. Breast volume and milk production during extended lactation in women 435

COX D. B., KENT J. C., CASEY T. M., OWENS R. A. & HARTMANN P. E. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationships 421

CRAGGS M. & MCFARLANE J. Neuromodulation of the lower urinary tract 149

CUNNINGHAM D. A. *see* PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Exercise gas transport determinants in elderly normotensive and hypertensive humans 79

CUNNINGHAM D. A. *see* MARSH G. D., PATERSON D. H., GOVINDASAMY D. & CUNNINGHAM D. A. Anaerobic power of the arms and legs of young and older men 589

CUNNINGHAM D. A. *see* BELL C., PATERSON D. H., KOWALCHUK J. M. & CUNNINGHAM D. A. Oxygen uptake kinetics of older humans are slowed with age but are unaffected by hyperoxia 747

CUNNINGHAM D. A. *see* BELL C., KOWALCHUK J. M., PATERSON D. H., SCHEUERMANN B. W. & CUNNINGHAM D. A. The effects of caffeine on the kinetics of O_2 uptake, CO_2 production and expiratory ventilation in humans during the on-transient of moderate and heavy intensity exercise 761

DAMAS J., BOURDON V. & LEFEBVRE P. J. Insulin sensitivity, clearance and release in kininogen-deficient rats 549

DAVEY N. J. *see* PURI B. K., LEWIS H. J., SAEED N. & DAVEY N. J. Volumetric change of the lateral ventricles in the human brain following glucose loading 223

DAVEY N. J. *see* SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

DAVIES W. R. *see* MARSHALL J. M. & DAVIES W. R. The effects of acute and chronic sytemic hypoxia on mucle oxygen supply and oxygen consumption in the rat 57

DAVIS S. R. *see* HERATH C. B., REYNOLDS G. W., MACKENZIE D. D. S., DAVIS S. R. & HARRIS P. M. Vagotomy suppresses cephalic phase insulin release in sheep 559

DEETJEN P. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

DE HAAN A. *see* DE RUITER C. J., JONES D. A., SARGEANT A. J. & DE HAAN A. Temperature effect on the rates of isometric force development and relaxation in the fresh and fatigued human adductor pollicis muscle 1137

DE RUITER C. J., JONES D. A., SARGEANT A. J. & DE HAAN A. Temperature effect on the rates of isometric force development and relaxation in the fresh and fatigued human adductor pollicis muscle 1137

DEVECI D. & EGGINGTON S. Development of the fluorescent microsphere technique for quantifying regional blood flow in small mammals 615

DIENSTL A. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

DUNCAN A. *see* NICODEMO M. L. F., SCOTT D., BUCHAN W., DUNCAN A. & ROBINS S. P. Effects of variations in live weight gain on bone growth and composition and on markers of bone turnover in lambs 579

EDWARDS A. V. *see* HANNA S. J., BRELEN M. E. & EDWARDS A. V. Effects of reducing submandibular blood flow on secretory responses to parasympathetic stimulation in anaesthetized cats 677

EDWARDS A. V. *see* EDWARDS C. M. B., GHATEI M. A., BLOOM S. R. & EDWARDS A. V. The role of nitric oxide in mediating pancreatic endocrine responses to insulin-induced hypoglycaemia in the conscious calf 1107

EDWARDS C. M. B., GHATEI M. A., BLOOM S. R. & EDWARDS A. V. The role of nitric oxide in mediating pancreatic endocrine responses to insulin-induced hypoglycaemia in the conscious calf 1107

EGGINTON S. *see* DEVECI D. & EGGINTON S. Development of the fluorescent microsphere technique for quantifying regional blood flow in small mammals 615

EGGINTON S. *see* HAWKER M. J. & EGGINTON S. The effect of stimulation frequency on blood flow in rat fast skeletal muscles 941

EL FAZAA S., SOMODY L., GHARBI N., KÁMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

ELLAWAY P. H. *see* SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

FAELLI A. *see* ORSENIGO M. N., TOSCO M., BAZZINI C., LAFORENZA U. & FAELLI A. A monocarboxylate transporter MCT1 is located at the basolateral pole of rat jejunum 1033

FAVERO T. G., STAVRIANEAS S. & KLUG G. A. Training-induced alterations in lactate dehydrogenase reaction kinetics in rats: a re-examination 989

FEBBRAIO M. A. *see* STARKIE R. L., HARGREAVES M., LAMBERT D. L., PROIETTO J. & FEBBRAIO M. A. Effect of temperature on muscle metabolism during submaximal exercise in humans 775

FERREIRA K. T. G. *see* MAURÍCIO A. C. & FERREIRA K. T. G. Activation of ionic channels by deoxycholate in frog and human cell lines 489

FERRUCCI F. *see* LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

FINDLAY J. B. C. *see* OWEN J. M., QUINN C. C., LEACH R., FINDLAY J. B. C. & BOYETT M. R. Effect of extracellular cations on the inward rectifying K^+ channels Kir2.1 and Kir3.1/Kir3.4 471

FLORES N. A., BOTCHWAY A. N. S., STAVROU B. M. & SHERIDAN D. J. Cardiac electrophysiological effects of platelet-derived substances 253

FORHEAD A. J. *see* FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. Pancreatic α cell function in the fetal foal during late gestation 697

FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. Pancreatic α cell function in the fetal foal during late gestation 697

FRANKEL H. L. *see* SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

FRIBERG P. *see* NILSSON A. B. M., GURON G. S., ADAMS M. A. & FRIBERG P. Renal interstitial hydrostatic pressure and urinary sodium excretion in rats with angiotensin-converting enzyme inhibitor-induced papillary atrophy 947

FRY C. H., WU C. & MUNDY A. R. Bladder instability and detrusor smooth muscle function 161

FUGELSETH D., SATAS S., RUNDE M., HÅGÅ P. & THORESEN M. Cardiac function and morphology studied by two-dimensional Doppler echocardiography in unsedated newborn pigs 69

FÜRST J. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

GÄBEL G., BUTTER H. & MARTENS H. Regulatory role of cAMP in transport of Na^+, Cl^- and short-chain fatty acids across sheep ruminal epithelium 333

GALLAGHER M. *see* WILSON S. M., GALLAGHER M., RAKHIT S., REMSBURY A. L. & KO W. H. Pyrimidine nucleotide-evoked inhibition of cyclic AMP accumulation in equine epithelial cells 639

GALLAGHER M. E. *see* ROUND J. E. C., JUNOR R. W. J., GALLAGHER M. E. & WALTERS D. V. The effects of *in vivo* pulmonary oxygenation on lung liquid production in near-term fetal sheep 725

GAMETCHU B. *see* WATSON C. S., CAMPBELL C. H. & GAMETCHU B. Membrane oestrogen receptors on rat pituitary tumour cells: immuno-identification and responses to oestradiol and xenoestrogens 1013

GARCÍA-COLUNGA J. & MILEDI R. Blockage of mouse muscle nicotinic receptors by serotonergic compounds 847

GAUQUELIN-KOCH G. *see* EL FAZAA S., SOMODY L., GHARBI N., KAMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

GHARBI N. *see* EL FAZAA S., SOMODY L., GHARBI N., KAMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

GHARIB C. *see* EL FAZAA S., SOMODY L., GHARBI N., KAMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

GHATEI M. A. *see* EDWARDS C. M. B., GHATEI M. A., BLOOM S. R. & EDWARDS A. V. The role of nitric oxide in mediating pancreatic endocrine responses to insulin-induced hypoglycaemia in the conscious calf 1107

GILLESPIE J. I. *see* CHAMBERS P., NEAL D. E. & GILLESPIE J. I. Ryanodine receptors in human bladder smooth muscle 41

GOODWIN P. A. *see* WANN K. T., GOODWIN P. A. & RICHARDS C. D. High activity K^+ channels in rat hippocampal neurones maintained in culture 501

GOVINDASAMY D. *see* MARSH G. D., PATERSON D. H., GOVINDASAMY D. & CUNNINGHAM D. A. Anaerobic power of the arms and legs of young and older men 589

GREENWOOD S. L. *see* TURNER M. A., SIDES M. K., SIBLEY C. P. & GREENWOOD S. L. Anion efflux from cytotrophoblast cells derived from normal term human placenta is stimulated by hyposmotic challenge and extracellular A23187 but not by membrane-soluble cAMP 27

GRENACHER B. *see* SCHARRER E., AMSTUTZ I. & GRENACHER B. Inhibition of mucosal glycylsarcosine uptake by acetate in rat distal small intestine 541

GRIFFITHS T. D. Book review: *Auditory Perception: A New Analysis and Synthesis*, by Richard M. Warren 1161

GROTTEL K., KRUTKI P. & MRÓWCZYŃSKI W. Bidirectional neurones in the cervical enlargement of the cat spinal cord with axons descending to sacral segments and ascending to the cerebellum and the lateral reticular nucleus 1059

GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

GÜNTHER J. *see* KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

GÜNZEL D. *see* LÜTHI D., GÜNZEL D. & MCGUIGAN J. A. S. Mg-ATP binding: its modification by spermine, the relevance to cytosolic Mg^{2+} buffering, changes in the intracellular ionized Mg^{2+} concentration and the estimation of Mg^{2+} by ^{31}P-NMR 231

GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

GURON G. S. *see* NILSSON A. B. M., GURON G. S., ADAMS M. A. & FRIBERG P. Renal interstitial hydrostatic pressure and urinary sodium excretion in rats with angiotensin-converting enzyme inhibitor-induced papillary atrophy 947

GUSTAFSSON L. E. *see* ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

HÅGÅ P. *see* FUGELSETH D., SATAS S., RUNDE M., HÅGÅ P. & THORESEN M. Cardiac function and morphology studied by two-dimensional Doppler echocardiography in unsedated newborn pigs 69

HAINSWORTH R. *see* MTINANGI B. L. & HAINSWORTH R. Effects of moderate exercise training on plasma volume, baroreceptor sensitivity and orthostatic tolerance in healthy subjects 121

HAKLAR G. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

HANNA S. J., BRELEN M. E. & EDWARDS A. V. Effects of reducing submandibular blood flow on secretory responses to parasympathetic stimulation in anaesthetized cats 677

HANSEN L. A., CLULOW J. & JONES R. C. The role of Na^+–H^+ exchange in fluid and solute transport in the rat efferent ducts 521

HARGREAVES M. *see* STARKIE R. L., HARGREAVES M., LAMBERT D. L., PROIETTO J. & FEBBRAIO M. A. Effect of temperature on muscle metabolism during submaximal exercise in humans 775

HARMEYER J. *see* CARE A. D., ABBAS S. K., HARMEYER J. & BOIVIN R. The relaxant effects of parathyroid hormone(1–34) and parathyroid hormone-related protein(1–34) on ovine reticulo-ruminal smooth muscle *in vivo* 665

HARMEYER J. *see* SCHLUMBOHM C. & HARMEYER J. Effect of hypocalcaemia on glucose metabolism in hyperketonaemic piglets 707

HARRIS P. M. *see* HERATH C. B., REYNOLDS G. W., MACKENZIE D. D. S., DAVIS S. R. & HARRIS P. M. Vagotomy suppresses cephalic phase insulin release in sheep 559

HARTMANN P. E. *see* COX D. B., KENT J. C., CASEY T. M., OWENS R. A. & HARTMANN P. E. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationships 421

HARTMANN P. E. *see* KENT J. C., MITOULAS L., COX D. B., OWENS R. A. & HARTMANN P. E. Breast volume and milk production during extended lactation in women 435

HAUGAARD N. *see* LEVIN R. M., HAUGAARD N., HYPOLITE J. A., WEIN A. J. & BUTTYAN R. Metabolic factors influencing lower urinary tract function 171

HAWKER M. J. & EGGINTON S. The effect of stimulation frequency on blood flow in rat fast skeletal muscles 941

HEASMAN L., CLARKE L. & SYMONDS M. E. Influence of thyrotrophin-releasing hormone on thermoregulatory adaptation after birth in near-term lambs delivered by Caesarean section 979

HENNEY A. M. Candidate genes involved in vascular matrix remodelling in atherogenesis 785

HERATH C. B., REYNOLDS G. W., MACKENZIE D. D. S., DAVIS S. R. & HARRIS P. M. Vagotomy suppresses cephalic phase insulin release in sheep 559

HILLIER C. *see* COATS P. & HILLIER C. Determination of an optimal axial-length tension for the study of isolated resistance arteries on a pressure myograph 1085

HIRAYANAGI K. *see* KINUGASA H. & HIRAYANAGI K. Effects of skin surface cooling and heating on autonomic nervous activity and baroreflex sensitivity in humans 369

HOLROYD B. *see* STANTON A. W. B., HOLROYD B., MORTIMER P. S. & LEVICK J. R. Comparison of microvascular filtration in human arms with and without postmastectomy oedema 405

HOSHINO M. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

HUANG Y., KO W.-H., CHUNG Y.-W. & WONG P. Y. D. Identification of calcium-activated potassium channels in cultured equine sweat gland epithelial cells 881

HYPOLITE J. A. *see* LEVIN R. M., HAUGAARD N., HYPOLITE J. A., WEIN A. J. & BUTTYAN R. Metabolic factors influencing lower urinary tract function 171

IGUCHI K. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

IWANAGA T. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

JAKAB M. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

JANOVSKÁ A. *see* ŠTEFL B., MEJSNAR J. A. & JANOVSKÁ A. Energy metabolism of rat skeletal muscle modulated by the rate of perfusion flow 651

JOHNS E. J. *see* WU X. C., RICHARDS N. T. & JOHNS E. J. The influence of erythropoietin on the vascular responses of rat resistance arteries 917

JOHNSON P. *see* SYMONDS M. E., ANDREWS D. C. & JOHNSON P. The influence of acute hypoxia and carotid body denervation on thermoregulation during non-rapid eye movement sleep in the developing lamb 1115

JONES D. A. *see* DE RUITER C. J., JONES D. A., SARGEANT A. J. & DE HAAN A. Temperature effect on the rates of isometric force development and relaxation in the fresh and fatigued human adductor pollicis muscle 1137

JONES R. C. *see* HANSEN L. A., CLULOW J. & JONES R. C. The role of Na^+–H^+ exchange in fluid and solute transport in the rat efferent ducts 521

JUMA L. O. M. *see* SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

JUNOR R. W. J. *see* ROUND J. E. C., JUNOR R. W. J., GALLAGHER M. E. & WALTERS D. V. The effects of *in vivo* pulmonary oxygenation on lung liquid production in near-term fetal sheep 725

KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

KAMOUN A. *see* EL FAZAA S., SOMODY L., GHARBI N., KAMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

KENT J. C. *see* COX D. B., KENT J. C., CASEY T. M., OWENS R. A. & HARTMANN P. E. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationships 421

KENT J. C., MITOULAS L., COX D. B., OWENS R. A. & HARTMANN P. Breast volume and milk production during extended lactation in women 435

KINUGASA H. & HIRAYANAGI K. Effects of skin surface cooling and heating on autonomic nervous activity and baroreflex sensitivity in humans 369

KISELEVA I. *see* KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

KLUG G. A. *see* FAVERO T. G., STAVRIANEAS S. & KLUG G. A. Training-induced alterations in lactate dehydrogenase reaction kinetics in rats: a re-examination 989

KO W. H. *see* WILSON S. M., GALLAGHER M., RAKHIT S., REMSBURY A. L. & KO W. H. Pyrimidine nucleotide-evoked inhibition of cyclic AMP accumulation in equine epithelial cells 639

KO W.-H. *see* HUANG Y., KO W.-H., CHUNG Y.-W. & WONG P. Y. D. Identification of calcium-activated potassium channels in cultured equine sweat gland epithelial cells 881

KOBAYASHI M. *see* KONGO M., YAMAMOTO R., KOBAYASHI M. & NOSAKA S. Hypoxia inhibits baroreflex vagal bradycardia via a central action in anaesthetized rats 47

KOBAYASHI M. *see* MURATA T., OTSU K., KOBAYASHI M. & NOSAKA S. Inhibition of baroreflex vagal bradycardia by selective stimulation of arterial chemoreceptors in rats 897

KOHL P. *see* LEI M., KOHL P., BROWN H. & NOBLE D. Non-muscarinic and non-nicotinic inhibition by the acetylcholine analogue carbachol of the delayed rectifier potassium current, i_K, in rabbit isolated sino-atrial node cells 631

KONGO M., YAMAMOTO R., KOBAYASHI M. & NOSAKA S. Hypoxia inhibits baroreflex vagal bradycardia via a central action in anaesthetized rats 47

KÖNIG M. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

KOWALCHUK J. M. *see* SCHEUERMANN B. W. & KOWALCHUK J. M. Breathing patterns during slow and fast ramp exercise in man 109

KOWALCHUK J. M. *see* BELL C., PATERSON D. H., KOWALCHUK J. M. & CUNNINGHAM D. A. Oxygen uptake kinetics of older humans are slowed with age but are unaffected by hyperoxia 747

KOWALCHUK J. M. *see* BELL C., KOWALCHUK J. M., PATERSON D. H., SCHEUERMANN B. W. & CUNNINGHAM D. A. The effects of caffeine on the kinetics of O_2 uptake, CO_2 production and expiratory ventilation in humans during the on-transient of moderate and heavy intensity exercise 761

KRAMP R. *see* CARON N. & KRAMP R. Measurement of changes in glomerular filtration rate induced by atrial natriuretic peptide in the rat kidney 689

KRUTKI P. *see* GROTTEL K., KRUTKI P. & MRÓWCZYŃSKI W. Bidirectional neurones in the cervical enlargement of the cat spinal cord with axons descending to sacral segments and ascending to the cerebellum and the lateral reticular nucleus 1059

KURTEL H. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

LAFORENZA U. *see* ORSENIGO M. N., TOSCO M., BAZZINI C., LAFORENZA U. & FAELLI A. A monocarboxylate transporter MCT1 is located at the basolateral pole of rat jejunum 1033

LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

LAKIE M. & COMBES N. Tremulousness – the perception of tremor in man 807

LAMBERT C. P., BALL D., LEIPER J. B. & MAUGHAN R. J. The use of a deuterium tracer technique to follow the fate of fluids ingested by human subjects: effects of drink volume and tracer concentration and content 391

LAMBERT D. L. *see* STARKIE R. L., HARGREAVES M., LAMBERT D. L., PROIETTO J. & FEBBRAIO M. A. Effect of temperature on muscle metabolism during submaximal exercise in humans 775

LAMMERICH A. *see* KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

LANG F. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

LAYCOCK J. F. *see* WARGENT E. T., BURGESS W. J., LAYCOCK J. F. & BALMENT R. J. Separate receptors mediate oxytocin and vasopressin stimulation of cAMP in rat inner medullary collecting duct cells 17

LEACH R. *see* OWEN J. M., QUINN C. C., LEACH R., FINDLAY J. B. C. & BOYETT M. R. Effect of extracellular cations on the inward rectifying K^+ channels Kir2.1 and Kir3.1/Kir3.4 471

LEFEBVRE P. J. *see* DAMAS J., BOURDON V. & LEFEBVRE P. J. Insulin sensitivity, clearance and release in kininogen-deficient rats 549

LE GUENNEC J.-Y. *see* PASCAREL C., BRETTE F., CAZORLA O. & LE GUENNEC J.-Y. Effects on L-type calcium current of agents interfering with the cytoskeleton of isolated guinea-pig ventricular myocytes 1043

LEI M., KOHL P., BROWN H. & NOBLE D. Non-muscarinic and non-nicotinic inhibition by the acetylcholine analogue carbachol of the delayed rectifier potassium current, i_K, in rabbit isolated sino-atrial node cells 631

LEIPER J. B. *see* LAMBERT C. P., BALL D., LEIPER J. B. & MAUGHAN R. J. The use of a deuterium tracer technique to follow the fate of fluids ingested by human subjects: effects of drink volume and tracer concentration and content 391

LEVICK J. R. *see* STANTON A. W. B., HOLROYD B., MORTIMER P. S. & LEVICK J. R. Comparison of microvascular filtration in human arms with and without postmastectomy oedema 405

LEVIN R. M., HAUGAARD N., HYPOLITE J. A., WEIN A. J. & BUTTYAN R. Metabolic factors influencing lower urinary tract function 171

LEWIS H. J. *see* PURI B. K., LEWIS H. J., SAEED N. & DAVEY N. J. Volumetric change of the lateral ventricles in the human brain following glucose loading 223

LIU L. & MATTHEWS S. G. Adrenocortical response profiles to corticotrophin-releasing hormone and adrenocorticotrophin challenge in the chronically catheterized adult guinea-pig 971

LIU X., BEE D. & BARER G. R. Role of nitric oxide synthase and cyclooxygenase in pulmonary vascular control in isolated perfused lungs of ferrets, rats and rabbits 907

LÖNNQVIST P.-A. *see* ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

LÜTHI D., GÜNZEL D. & MCGUIGAN J. A. S. Mg-ATP binding: its modification by spermine, the relevance to cytosolic Mg^{2+} buffering, changes in the intracellular ionized Mg^{2+} concentration and the estimation of Mg^{2+} by ^{31}P-NMR 231

MCALROY H. L., BOVELL D. L., PLUMB J. A., THOMPSON P. & WILSON S. M. Drug extrusion, $^{125}I^-$ efflux and the control of intracellular $[Ca^{2+}]$ in drug-resistant ovarian epithelial cells 285

MACDERMOTT M. *see* MCGUIRE M. & MACDERMOTT M. The influence of streptozotocin diabetes and metformin on erythrocyte volume and on the membrane potential and the contractile characteristics of the extensor digitorum longus and soleus muscles in rats 1051

MCFARLANE J. *see* CRAGGS M. & MCFARLANE J. Neuromodulation of the lower urinary tract 149

MCGUIGAN J. A. S. *see* LÜTHI D., GÜNZEL D. & MCGUIGAN J. A. S. Mg-ATP binding: its modification by spermine, the relevance to cytosolic Mg^{2+} buffering, changes in the intracellular ionized Mg^{2+} concentration and the estimation of Mg^{2+} by ^{31}P-NMR 231

MCGUIRE M. & MACDERMOTT M. The influence of streptozotocin diabetes and metformin on erythrocyte volume and on the membrane potential and the contractile characteristics of the extensor digitorum longus and soleus muscles in rats 1051

MACKENZIE D. D. S. *see* HERATH C. B., REYNOLDS G. W., MACKENZIE D. D. S., DAVIS S. R. & HARRIS P. M. Vagotomy suppresses cephalic phase insulin release in sheep 559

MCLOUGHLIN P. *see* SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. Effects of changes in pH and P_{CO_2} on wall tension in isolated rat intrapulmonary arteries 529

MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

MARSH G. D., PATERSON D. H., GOVINDASAMY D. & CUNNINGHAM D. A. Anaerobic power of the arms and legs of young and older men 589

MARSHALL J. M. The Joan Mott Prize Lecture. The integrated response to hypoxia: from circulation to cells 449

MARSHALL J. M. & DAVIES W. R. The effects of acute and chronic sytemic hypoxia on mucle oxygen supply and oxygen consumption in the rat 57

MARTENS H. *see* GÄBEL G., BUTTER H. & MARTENS H. Regulatory role of cAMP in transport of Na^+, Cl^- and short-chain fatty acids across sheep ruminal epithelium 333

MASKILL D. W. *see* SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

MATTHEWS S. G. *see* LIU L. & MATTHEWS S. G. Adrenocortical response profiles to corticotrophin-releasing hormone and adrenocorticotrophin challenge in the chronically catheterized adult guinea-pig 971

MAUGHAN R. Book review: *Review of Medical Physiology, 18th edn*, by W. E. Ganong 599

MAUGHAN R. J. *see* LAMBERT C. P., BALL D., LEIPER J. B. & MAUGHAN R. J. The use of a deuterium tracer technique to follow the fate of fluids ingested by human subjects: effects of drink volume and tracer concentration and content 391

MAURÍCIO A. C. & FERREIRA K. T. G. Activation of ionic channels by deoxycholate in frog and human cell lines 489

MAXWELL A. J., TSAO P. S. & COOKE J. P. Modulation of the nitric oxide synthase pathway in atherosclerosis 801

MEJSNAR J. A. *see* ŠTEFL B., MEJSNAR J. A. & JANOVSKÁ A. Energy metabolism of rat skeletal muscle modulated by the rate of perfusion flow 651

MEYER G. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

MILEDI R. *see* GARCÍA-COLUNGA J. & MILEDI R. Blockage of mouse muscle nicotinic receptors by serotonergic compounds 847

MITOULAS L. *see* KENT J. C., MITOULAS L., COX D. B., OWENS R. A. & HARTMANN P. Breast volume and milk production during extended lactation in women 435

MOCHIZUKI T. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

MORRISON J. The activation of bladder wall afferent nerves 131

MORTIMER P. S. *see* STANTON A. W. B., HOLROYD B., MORTIMER P. S. & LEVICK J. R. Comparison of microvascular filtration in human arms with and without postmastectomy oedema 405

MOUNIER Y. *see* TOURSEL T., STEVENS L. & MOUNIER Y. Evolution of contractile and elastic properties of rat soleus muscle fibres under unloading conditions 93

MRÓWCZYŃSKI W. *see* GROTTEL K., KRUTKI P. & MRÓWCZYŃSKI W. Bidirectional neurones in the cervical enlargement of the cat spinal cord with axons descending to sacral segments and ascending to the cerebellum and the lateral reticular nucleus 1059

MTINANGI B. L. & HAINSWORTH R. Effects of moderate exercise training on plasma volume, baroreceptor sensitivity and orthostatic tolerance in healthy subjects 121

MUNDY A. R. *see* FRY C. H., WU C. & MUNDY A. R. Bladder instability and detrusor smooth muscle function 161

MURATA T., OTSU K., KOBAYASHI M. & NOSAKA S. Inhibition of baroreflex vagal bradycardia by selective stimulation of arterial chemoreceptors in rats 897

NAVARATNAM N. *see* SCOTT J., NAVARATNAM N. & CARTER C. Molecular modelling of the biosynthesis of the RNA-editing enzyme APOBEC-1, responsible for generating the alternative forms of apolipoprotein B 791

NEAL D. E. *see* CHAMBERS P., NEAL D. E. & GILLESPIE J. I. Ryanodine receptors in human bladder smooth muscle 41

NICODEMO M. L. F., SCOTT D., BUCHAN W., DUNCAN A. & ROBINS S. P. Effects of variations in live weight gain on bone growth and composition and on markers of bone turnover in lambs 579

NILSSON A. B. M., GURON G. S., ADAMS M. A. & FRIBERG P. Renal interstitial hydrostatic pressure and urinary sodium excretion in rats with angiotensin-converting enzyme inhibitor-induced papillary atrophy 947

NISHIKAWA Y. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

NOBLE D. *see* LEI M., KOHL P., BROWN H. & NOBLE D. Non-muscarinic and non-nicotinic inhibition by the acetylcholine analogue carbachol of the delayed rectifier potassium current, i_K, in rabbit isolated sino-atrial node cells 631

NOBLE D. *see* SPINDLER A. J., NOBLE S. J. & NOBLE D. Comparison of step and ramp voltage clamp on background currents in guinea-pig ventricular cells 865

NOBLE S. J. *see* SPINDLER A. J., NOBLE S. J. & NOBLE D. Comparison of step and ramp voltage clamp on background currents in guinea-pig ventricular cells 865

NOSAKA S. *see* KONGO M., YAMAMOTO R., KOBAYASHI M. & NOSAKA S. Hypoxia inhibits baroreflex vagal bradycardia via a central action in anaesthetized rats 47

NOSAKA S. *see* MURATA T., OTSU K., KOBAYASHI M. & NOSAKA S. Inhibition of baroreflex vagal bradycardia by selective stimulation of arterial chemoreceptors in rats 897

O'CONNOR J. J. & COOGAN A. N. Actions of the pro-inflammatory cytokine IL-1β on central synaptic transmission 601

OKTAR B. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

OLSSON K. & CARLSSON E. Cardiovascular changes associated with dehydration and drinking in unrestrained, lactating goats 571

O'REGAN R. G. *see* SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. Effects of changes in pH and P_{CO_2} on wall tension in isolated rat intrapulmonary arteries 529

ORIE N. N., ZIDEK W. & TEPEL M. Chemoattractant- and mitogen-induced generation of reactive oxygen species in human lymphocytes: the role of calcium 515

ORSENIGO M. N., TOSCO M., BAZZINI C., LAFORENZA U. & FAELLI A. A monocarboxylate transporter MCT1 is located at the basolateral pole of rat jejunum 1033

OTSU K. *see* MURATA T., OTSU K., KOBAYASHI M. & NOSAKA S. Inhibition of baroreflex vagal bradycardia by selective stimulation of arterial chemoreceptors in rats 897

OWEN J. M., QUINN C. C., LEACH R., FINDLAY J. B. C. & BOYETT M. R. Effect of extracellular cations on the inward rectifying K^+ channels Kir2.1 and Kir3.1/Kir3.4 471

OWENS R. A. *see* COX D. B., KENT J. C., CASEY T. M., OWENS R. A. & HARTMANN P. E. Breast growth and the urinary excretion of lactose during human pregnancy and early lactation: endocrine relationships 421

OWENS R. A. *see* KENT J. C., MITOULAS L., COX D. B., OWENS R. A. & HARTMANN P. Breast volume and milk production during extended lactation in women 435

OZAKI T. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

OZCELIK O., WARD S. A. & WHIPP B. J. Effect of altered body CO_2 stores on pulmonary gas exchange dynamics during incremental exercise in humans 999

PARIENTE J. A. *see* SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

PASCAREL C., BRETTE F., CAZORLA O. & LE GUENNEC J.-Y. Effects on L-type calcium current of agents interfering with the cytoskeleton of isolated guinea-pig ventricular myocytes 1043

PATERSON D. H. *see* PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Exercise gas transport determinants in elderly normotensive and hypertensive humans 79

PATERSON D. H. *see* MARSH G. D., PATERSON D. H., GOVINDASAMY D. & CUNNINGHAM D. A. Anaerobic power of the arms and legs of young and older men 589

PATERSON D. H. *see* BELL C., PATERSON D. H., KOWALCHUK J. M. & CUNNINGHAM D. A. Oxygen uptake kinetics of older humans are slowed with age but are unaffected by hyperoxia 747

PATERSON D. H. *see* BELL C., KOWALCHUK J. M., PATERSON D. H., SCHEUERMANN B. W. & CUNNINGHAM D. A. The effects of caffeine on the kinetics of O_2 uptake, CO_2 production and expiratory ventilation in humans during the on-transient of moderate and heavy intensity exercise 761

PATON J. F. R. The Sharpey-Schafer Prize Lecture. Nucleus tractus solitarii: integrating structures 815

PAULMICHL M. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

PECHÁŇOVÁ O. *see* BERNÁTOVÁ I., PECHÁŇOVÁ O. & ŠIMKO F. Effect of captopril in L-NAME-induced hypertension on the rat myocardium, aorta, brain and kidney 1095

PEITL B. *see* PETHŐ G., PÓRSZÁSZ R., PEITL B. & SZOLCSÁNYI J. Spike generation from dorsal roots and cutaneous afferents by hypoxia or hypercapnia in the rat *in vivo* 1

PELLEGRINO M. A. *see* CANEPARI M., ROSSI R., PELLEGRINO M. A., REGGIANI C. & BOTTINELLI R. Speeds of actin translocation *in vitro* by myosins extracted from single rat muscle fibres of different types 803

PERSSON K. *see* STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

PERSSON M. G. *see* ARTLICH A., ADDING C., AGVALD P., PERSSON M. G., LÖNNQVIST P.-A. & GUSTAFSSON L. E. Exhaled nitric oxide increases during high frequency oscillatory ventilation in rabbits 959

PERSSON P. B. *see* KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

PETHŐ G., PÓRSZÁSZ R., PEITL B. & SZOLCSÁNYI J. Spike generation from dorsal roots and cutaneous afferents by hypoxia or hypercapnia in the rat *in vivo* 1

PETRELLA R. J., CUNNINGHAM D. A. & PATERSON D. H. Exercise gas transport determinants in elderly normotensive and hypertensive humans 79

PLUMB J. A. *see* MCALROY H. L., BOVELL D. L., PLUMB J. A., THOMPSON P. & WILSON S. M. Drug extrusion, $^{125}I^-$ efflux and the control of intracellular $[Ca^{2+}]$ in drug-resistant ovarian epithelial cells 285

PÓRSZÁSZ R. *see* PETHŐ G., PÓRSZÁSZ R., PEITL B. & SZOLCSÁNYI J. Spike generation from dorsal roots and cutaneous afferents by hypoxia or hypercapnia in the rat *in vivo* 1

PROIETTO J. *see* STARKIE R. L., HARGREAVES M., LAMBERT D. L., PROIETTO J. & FEBBRAIO M. A. Effect of temperature on muscle metabolism during submaximal exercise in humans 775

PURI B. K., LEWIS H. J., SAEED N. & DAVEY N. J. Volumetric change of the lateral ventricles in the human brain following glucose loading 223

QUINN C. C. *see* OWEN J. M., QUINN C. C., LEACH R., FINDLAY J. B. C. & BOYETT M. R. Effect of extracellular cations on the inward rectifying K^+ channels Kir2.1 and Kir3.1/Kir3.4 471

RAKHIT S. *see* WILSON S. M., GALLAGHER M., RAKHIT S., REMSBURY A. L. & KO W. H. Pyrimidine nucleotide-evoked inhibition of cyclic AMP accumulation in equine epithelial cells 639

REGGIANI C. *see* CANEPARI M., ROSSI R., PELLEGRINO M. A., REGGIANI C. & BOTTINELLI R. Speeds of actin translocation *in vitro* by myosins extracted from single rat muscle fibres of different types 803

REMSBURY A. L. *see* WILSON S. M., GALLAGHER M., RAKHIT S., REMSBURY A. L. & KO W. H. Pyrimidine nucleotide-evoked inhibition of cyclic AMP accumulation in equine epithelial cells 639

REYNOLDS G. W. *see* HERATH C. B., REYNOLDS G. W., MACKENZIE D. D. S., DAVIS S. R. & HARRIS P. M. Vagotomy suppresses cephalic phase insulin release in sheep 559

RICHARDS C. D. *see* WANN K. T., GOODWIN P. A. & RICHARDS C. D. High activity K^+ channels in rat hippocampal neurones maintained in culture 501

RICHARDS N. T. *see* WU X. C., RICHARDS N. T. & JOHNS E. J. The influence of erythropoietin on the vascular responses of rat resistance arteries 917

RITTER M. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

ROBINS S. P. *see* NICODEMO M. L. F., SCOTT D., BUCHAN W., DUNCAN A. & ROBINS S. P. Effects of variations in live weight gain on bone growth and composition and on markers of bone turnover in lambs 579

ROJAS S. *see* ACEVEDO C. G., ROJAS S. & BRAVO I. L-Arginine transport at the fetal side of human placenta: effect of aspirin in pregnancy 1127

ROMANI R. *see* MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

ROSSI R. *see* CANEPARI M., ROSSI R., PELLEGRINO M. A., REGGIANI C. & BOTTINELLI R. Speeds of actin translocation *in vitro* by myosins extracted from single rat muscle fibres of different types 803

ROUND J. E. C., JUNOR R. W. J., GALLAGHER M. E. & WALTERS D. V. The effects of *in vivo* pulmonary oxygenation on lung liquid production in near-term fetal sheep 725

RUDZKI J. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

RUNDE M. *see* FUGELSETH D., SATAS S., RUNDE M., HÅGÅ P. & THORESEN M. Cardiac function and morphology studied by two-dimensional Doppler echocardiography in unsedated newborn pigs 69

SAEED N. *see* PURI B. K., LEWIS H. J., SAEED N. & DAVEY N. J. Volumetric change of the lateral ventricles in the human brain following glucose loading 223

SAIBENE F. *see* LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739

SALIDO G. M. *see* SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

SARGEANT A. J. *see* DE RUITER C. J., JONES D. A., SARGEANT A. J. & DE HAAN A. Temperature effect on the rates of isometric force development and relaxation in the fresh and fatigued human adductor pollicis muscle 1137

SATAS S. *see* FUGELSETH D., SATAS S., RUNDE M., HÅGÅ P. & THORESEN M. Cardiac function and morphology studied by two-dimensional Doppler echocardiography in unsedated newborn pigs 69

SAVIC G. *see* SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

SCANDELLA E. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

SCHARRER E., AMSTUTZ I. & GRENACHER B. Inhibition of mucosal glycylsarcosine uptake by acetate in rat distal small intestine 541

SCHEUERMANN B. W. *see* BELL C., KOWALCHUK J. M., PATERSON D. H., SCHEUERMANN B. W. & CUNNINGHAM D. A. The effects of caffeine on the kinetics of O_2 uptake, CO_2 production and expiratory ventilation in humans during the on-transient of moderate and heavy intensity exercise 761

SCHEUERMANN B. W. & KOWALCHUK J. M. Breathing patterns during slow and fast ramp exercise in man 109

SCHLUMBOHM C. & HARMEYER J. Effect of hypocalcaemia on glucose metabolism in hyperketonaemic piglets 707

SCOTT D. *see* NICODEMO M. L. F., SCOTT D., BUCHAN W., DUNCAN A. & ROBINS S. P. Effects of variations in live weight gain on bone growth and composition and on markers of bone turnover in lambs 579

SCOTT J., NAVARATNAM N. & CARTER C. Molecular modelling of the biosynthesis of the RNA-editing enzyme APOBEC-1, responsible for generating the alternative forms of apolipoprotein B 791

SHERER T. B. *see* STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

SHERIDAN D. J. *see* FLORES N. A., BOTCHWAY A. N. S., STAVROU B. M. & SHERIDAN D. J. Cardiac electrophysiological effects of platelet-derived substances 253

SIBLEY C. P. *see* TURNER M. A., SIDES M. K., SIBLEY C. P. & GREENWOOD S. L. Anion efflux from cytotrophoblast cells derived from normal term human placenta is stimulated by hyposmotic challenge and extracellular A23187 but not by membrane-soluble cAMP 27

SIDES M. K. *see* TURNER M. A., SIDES M. K., SIBLEY C. P. & GREENWOOD S. L. Anion efflux from cytotrophoblast cells derived from normal term human placenta is stimulated by hyposmotic challenge and extracellular A23187 but not by membrane-soluble cAMP 27

SILVER M. *see* FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. Pancreatic α cell function in the fetal foal during late gestation 697

ŠIMKO F. *see* BERNÁTOVÁ I., PECHÁŇOVÁ O. & ŠIMKO F. Effect of captopril in L-NAME-induced hypertension on the rat myocardium, aorta, brain and kidney 1095

SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

SMITH H. C., DAVEY N. J., SAVIC G., MASKILL D. W., ELLAWAY P. H. & FRANKEL H. L. Motor unit discharge characteristics during voluntary contraction in patients with incomplete spinal cord injury 1151

SNETKOV V. A. & WARD J. P. T. Ion currents in smooth muscle cells from human small bronchioles: presence of an inward rectifier K^+ current and three types of large conductance K^+ channel 835

SOMODY L. *see* EL FAZAA S., SOMODY L., GHARBI N., KAMOUN A., GHARIB C. & GAUQUELIN-KOCH G. Effects of acute and chronic starvation on central and peripheral noradrenaline turnover, blood pressure and heart rate in the rat 357

SPINDLER A. J., NOBLE S. J. & NOBLE D. Comparison of step and ramp voltage clamp on background currents in guinea-pig ventricular cells 865

STANTON A. W. B., HOLROYD B., MORTIMER P. S. & LEVICK J. R. Comparison of microvascular filtration in human arms with and without postmastectomy oedema 405

STARKIE R. L., HARGREAVES M., LAMBERT D. L., PROIETTO J. & FEBBRAIO M. A. Effect of temperature on muscle metabolism during submaximal exercise in humans 775

STAUBER W. T. *see* WILLEMS M. E. T. & STAUBER W. T. Isometric and concentric performance of electrically stimulated ankle plantar flexor muscles in intact rat 379

STAVRIANEAS S. *see* FAVERO T. G., STAVRIANEAS S. & KLUG G. A. Training-induced alterations in lactate dehydrogenase reaction kinetics in rats: a re-examination 989

STAVROU B. M. *see* FLORES N. A., BOTCHWAY A. N. S., STAVROU B. M. & SHERIDAN D. J. Cardiac electrophysiological effects of platelet-derived substances 253

STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

ŠTEFL B., MEJSNAR J. A. & JANOVSKÁ A. Energy metabolism of rat skeletal muscle modulated by the rate of perfusion flow 651

STEVENS B. C. *see* THWAITES D. T. & STEVENS B. C. H^+–zwitterionic amino acid symport at the brush-border membrane of human intestinal epithelial (Caco-2) cells 275

STEVENS L. *see* TOURSEL T., STEVENS L. & MOUNIER Y. Evolution of contractile and elastic properties of rat soleus muscle fibres under unloading conditions 93

SWEENEY M., O'REGAN R. G. & MCLOUGHLIN P. Effects of changes in pH and P_{CO_2} on wall tension in isolated rat intrapulmonary arteries 529

SYMONDS M. E. *see* HEASMAN L., CLARKE L. & SYMONDS M. E. Influence of thyrotrophin-releasing hormone on thermoregulatory adaptation after birth in near-term lambs delivered by Caesarean section 979

SYMONDS M. E., ANDREWS D. C. & JOHNSON P. The influence of acute hypoxia and carotid body denervation on thermoregulation during non-rapid eye movement sleep in the developing lamb 1115

SZOLCSÁNYI J. *see* PETHŐ G., PÓRSZÁSZ R., PEITL B. & SZOLCSÁNYI J. Spike generation from dorsal roots and cutaneous afferents by hypoxia or hypercapnia in the rat *in vivo* 1

TAYLOR P. M. *see* FOWDEN A. L., FORHEAD A. J., BLOOMFIELD M., TAYLOR P. M. & SILVER M. Pancreatic α cell function in the fetal foal during late gestation 697

TEPEL M. *see* ORIE N. N., ZIDEK W. & TEPEL M. Chemoattractant- and mitogen-induced generation of reactive oxygen species in human lymphocytes: the role of calcium 515

THOMPSON P. Book review: *Vision and Action*, edited by Laurence R. Harris and Michael Jenkin. 811

THOMPSON P. *see* MCALROY H. L., BOVELL D. L., PLUMB J. A., THOMPSON P. & WILSON S. M. Drug extrusion, $^{125}I^-$ efflux and the control of intracellular $[Ca^{2+}]$ in drug-resistant ovarian epithelial cells 285

THORESEN M. *see* FUGELSETH D., SATAS S., RUNDE M., HÄGÅ P. & THORESEN M. Cardiac function and morphology studied by two-dimensional Doppler echocardiography in unsedated newborn pigs 69

THWAITES D. T. & STEVENS B. C. H^+–zwitterionic amino acid symport at the brush-border membrane of human intestinal epithelial (Caco-2) cells 275

TONALI P. *see* MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

TOSCO M. *see* ORSENIGO M. N., TOSCO M., BAZZINI C., LAFORENZA U. & FAELLI A. A monocarboxylate transporter MCT1 is located at the basolateral pole of rat jejunum 1033

TOURSEL T., STEVENS L. & MOUNIER Y. Evolution of contractile and elastic properties of rat soleus muscle fibres under unloading conditions 93

TRINGALI A. *see* MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

TSAO P. S. *see* MAXWELL A. J., TSAO P. S. & COOKE J. P. Modulation of the nitric oxide synthase pathway in atherosclerosis 801

TURNER M. A., SIDES M. K., SIBLEY C. P. & GREENWOOD S. L. Anion efflux from cytotrophoblast cells derived from normal term human placenta is stimulated by hyposmotic challenge and extracellular A23187 but not by membrane-soluble cAMP 27

TUTTLE J. B. *see* STEERS W. D., CLEMOW D. B., PERSSON K., SHERER T. B., ANDERSSON K.-E. & TUTTLE J. B. The spontaneously hypertensive rat: insight into the pathogenesis of irritative symptoms in benign prostatic hyperplasia and young anxious males 137

VARGIU R. *see* MANCINELLI R., TONALI P., ROMANI R., TRINGALI A., VARGIU R. & AZZENA G. B. Mechanical properties of smooth muscle portal vein in normal and dystrophin-deficient (*mdx*) mice 929

WAGNER K. D. *see* KAMKIN A., KISELEVA I., WAGNER K. D., LAMMERICH A., BOHM J., PERSSON P. B. & GÜNTHER J. Mechanically induced potentials in fibroblasts from human right atrium 347

WALTERS D. V. *see* ROUND J. E. C., JUNOR R. W. J., GALLAGHER M. E. & WALTERS D. V. The effects of *in vivo* pulmonary oxygenation on lung liquid production in near-term fetal sheep 725

WANN K. T., GOODWIN P. A. & RICHARDS C. D. High activity K^+ channels in rat hippocampal neurones maintained in culture 501

WARD J. P. T. *see* SNETKOV V. A. & WARD J. P. T. Ion currents in smooth muscle cells from human small bronchioles: presence of an inward rectifier K^+ current and three types of large conductance K^+ channel 835

WARD S. A. *see* OZCELIK O., WARD S. A. & WHIPP B. J. Effect of altered body CO_2 stores on pulmonary gas exchange dynamics during incremental exercise in humans 999

WARGENT E. T., BURGESS W. J., LAYCOCK J. F. & BALMENT R. J. Separate receptors mediate oxytocin and vasopressin stimulation of cAMP in rat inner medullary collecting duct cells 17

WATSON C. S., CAMPBELL C. H. & GAMETCHU B. Membrane oestrogen receptors on rat pituitary tumour cells: immuno-identification and responses to oestradiol and xenoestrogens 1013

WEIN A. J. *see* LEVIN R. M., HAUGAARD N., HYPOLITE J. A., WEIN A. J. & BUTTYAN R. Metabolic factors influencing lower urinary tract function 171

WHIPP B. J. Book review: *Respiratory Control Mechanisms and Sensations*, edited by A. S. Paintal and Ashima Anand 811

WHIPP B. J. *see* OZCELIK O., WARD S. A. & WHIPP B. J. Effect of altered body CO_2 stores on pulmonary gas exchange dynamics during incremental exercise in humans 999

WILLEMS M. E. T. & STAUBER W. T. Isometric and concentric performance of electrically stimulated ankle plantar flexor muscles in intact rat 379

WILSON S. M. *see* MCALROY H. L., BOVELL D. L., PLUMB J. A., THOMPSON P. & WILSON S. M. Drug extrusion, $^{125}I^-$ efflux and the control of intracellular $[Ca^{2+}]$ in drug-resistant ovarian epithelial cells 285

WILSON S. M., GALLAGHER M., RAKHIT S., REMSBURY A. L. & KO W. H. Pyrimidine nucleotide-evoked inhibition of cyclic AMP accumulation in equine epithelial cells 639

WÖLL E. *see* GSCHWENTNER M., FÜRST, J., RITTER M., BAZZINI C., WÖLL E., DIENSTL A., JAKAB M., KÖNIG M., SCANDELLA E., RUDZKI J., BOTTA G., MEYER G., LANG F., DEETJEN P. & PAULMICHL M. ICln, an ion channel-forming protein associated with cell volume regulation 1023

WONG P. Y. D. *see* HUANG Y., KO W.-H., CHUNG Y.-W. & WONG P. Y. D. Identification of calcium-activated potassium channels in cultured equine sweat gland epithelial cells 881

WU C. *see* FRY C. H., WU C. & MUNDY A. R. Bladder instability and detrusor smooth muscle function 161

WU X. C., RICHARDS N. T. & JOHNS E. J. The influence of erythropoietin on the vascular responses of rat resistance arteries 917

YAGO M. D. *see* SINGH J., ADEGHATE E., SALIDO G. M., PARIENTE J. A., YAGO M. D. & JUMA L. O. M. Interaction of islet hormones with cholecystokinin octapeptide-evoked secretory responses in the isolated pancreas of normal and diabetic rats 299

YAMAMOTO R. *see* KONGO M., YAMAMOTO R., KOBAYASHI M. & NOSAKA S. Hypoxia inhibits baroreflex vagal bradycardia via a central action in anaesthetized rats 47

YANAIHARA N. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

YANASE H. *see* KANNO T., ASADA N., YANASE H., IWANAGA T., OZAKI T., NISHIKAWA Y., IGUCHI K., MOCHIZUKI T., HOSHINO M. & YANAIHARA N. Salivary secretion of highly concentrated chromogranin A in response to noradrenaline and acetylcholine in isolated and perfused rat submandibular glands 1073

YEGEN B. C. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

YÜKSEL M. *see* GÜRBÜZ V., ALİCAN İ., YEGEN B. C., BOZKURT A., OKTAR B., HAKLAR G., YÜKSEL M. & KURTEL H. Role of nitric oxide in indomethacin-induced gastric mucosal dysfunction in the rat 319

ZIDEK W. *see* ORIE N. N., ZIDEK W. & TEPEL M. Chemoattractant- and mitogen-induced generation of reactive oxygen species in human lymphocytes: the role of calcium 515

ZUCCA E. *see* LAFORTUNA C. L., ALBERTINI M., FERRUCCI F., ZUCCA E., BRAGHIERI M., CLEMENT M. G. & SAIBENE F. Laryngeal movements during the respiratory cycle measured with an endoscopic imaging technique in the conscious horse at rest 739